

Time	DRCT	SKNT	TMPF	DWPF	RELH	PRCP
F000	312	15	24	18	76	0
F001	304	6	23	16	74	0
F002	289	6	22	14	72	0
F003	295	6	21	13	71	0
F004	305	7	20	12	71	0
F005	313	7	19	10	69	0
F006	326	8	17	8	68	0
F007	334	8	15	7	67	0
F008	337	8	15	6	66	0
F009	338	8	14	5	66	0
F010	338	8	13	4	67	0
F011	337	7	12	4	68	0
F012	333	5	12	4	69	0
F013	329	5	12	3	67	0
F014	332	10	14	-1	51	0
F015	328	10	15	-1	50	0
F016	326	10	15	0	50	0
F017	326	11	16	1	50	0
F018	323	10	16	2	52	0
F019	318	9	17	2	53	0
F020	314	7	17	3	54	0
F021	310	6	17	5	57	0
F022	274	2	17	8	67	0
F023	224	3	17	9	72	0
F024	220	4	16	11	80	0
F025	231	5	15	12	87	0
F026	234	5	15	12	88	0.01
F027	227	4	15	12	88	0.01
F028	217	5	15	12	88	0.01
F029	213	5	14	11	88	0.02
F030	213	5	14	11	88	0.02
F031	210	4	14	11	89	0.02
F032	208	4	14	11	89	0.01
F033	211	5	13	11	88	0.01
F034	208	5	13	11	88	0.01
F035	211	5	13	11	88	0.01
F036	219	6	13	11	88	0.01