

Time	DRCT	SKNT	TMPF	DWPF	RELH	PRCP
F000	140	3	32	32	99	0
F001	110	3	32	32	99	0.01
F002	142	3	32	31	99	0.03
F003	176	5	31	31	99	0.04
F004	226	4	31	31	99	0.03
F005	256	7	31	30	96	0.01
F006	263	12	32	30	90	0
F007	267	12	32	30	92	0
F008	270	11	31	29	93	0
F009	268	10	31	29	93	0
F010	273	11	31	29	92	0
F011	273	11	31	28	91	0
F012	269	10	30	27	89	0.01
F013	258	10	29	24	79	0
F014	270	14	29	22	75	0
F015	277	15	29	22	74	0
F016	281	16	29	21	71	0
F017	284	16	29	20	69	0
F018	289	16	29	20	68	0
F019	288	15	30	17	58	0
F020	285	14	31	17	56	0
F021	275	10	30	20	65	0
F022	259	7	29	22	75	0
F023	254	7	28	22	79	0
F024	252	7	27	22	79	0
F025	249	7	27	21	78	0
F026	252	7	27	21	78	0
F027	252	8	27	21	78	0
F028	251	8	27	21	77	0
F029	255	7	27	21	78	0
F030	277	7	28	22	79	0
F031	302	9	28	22	79	0
F032	314	11	27	18	69	0
F033	316	9	25	14	64	0
F034	335	8	22	11	61	0
F035	333	5	21	11	62	0
F036	332	5	21	11	63	0