

Time	DRCT	SKNT	TMPF	DWPF	RELH	PRCP
F000	251	17	30	29	95	0
F001	264	12	30	27	91	0.01
F002	274	13	29	27	91	0.02
F003	280	13	29	27	91	0.02
F004	283	13	29	27	91	0.02
F005	285	14	29	27	89	0.01
F006	291	14	29	26	88	0.01
F007	296	12	29	24	80	0
F008	297	12	29	23	77	0
F009	293	11	28	22	78	0
F010	295	11	28	22	79	0
F011	299	11	28	22	79	0
F012	300	11	27	21	79	0
F013	301	13	27	21	76	0
F014	303	15	28	20	70	0
F015	304	15	28	19	68	0
F016	303	15	29	19	65	0
F017	300	15	30	19	64	0
F018	298	14	30	19	62	0
F019	298	14	31	19	61	0
F020	297	14	32	20	60	0
F021	296	12	32	20	62	0
F022	290	7	31	23	72	0
F023	290	7	29	23	79	0
F024	301	7	29	24	82	0
F025	317	6	28	23	81	0
F026	319	6	28	22	79	0
F027	326	7	27	21	77	0
F028	332	7	27	20	76	0
F029	331	7	26	19	75	0
F030	333	7	25	18	75	0
F031	335	6	24	18	77	0
F032	329	6	24	18	79	0
F033	325	6	23	18	79	0
F034	325	6	23	18	80	0
F035	326	6	23	17	80	0
F036	326	6	22	17	80	0